

Model	Picture	Resolution	Lens	Specifiction	Price(RLS)
SH-AH722		2MP	4mm Fix	<b>1/3" NEXT CHIP, 25m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 1PCS -WhitBalance:Auto - Shuter Speed :1/100</b>	1,250,000
SH-AH615		2MP	3.6mm Fix	<b>1/3" NEXT CHIP, 30m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 -4PCS WhitBalance:Auto - Shuter Speed :1/100</b>	1,250,000
SH-AH617		2MP	3.6mm Fix	<b>1/3" NEXT CHIP, 25m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 1PCS -WhitBalance:Auto - Shuter Speed :1/100</b>	1,250,000
SH-AH616		2MP	3.6mm Fix	<b>1/3" NEXT CHIP, 25m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 48PCS WhitBalance:Auto - Shuter Speed :1/100</b>	1,150,000
SH-AH723		2MP	3.6mm Fix	<b>1/3" NEXT CHIP, 25m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 1PCS -WhitBalance:Auto - Shuter Speed :1/100</b>	1,280,000

Model	Picture	Resolution	Lens	Specifiction	Price(RLS)
SH-AH8206		2MP	4mm fix	<b>1/3" NEXT CHIP, 40m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 2PCS - WhitBalance:Auto - Shuter Speed :1/100</b>	1,700,000
SH-AH9930		2MP	4mm Fix	<b>1/3" NEXT CHIP, 40m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 2PCS - WhitBalance:Auto - Shuter Speed :1/100</b>	1,700,000
SH-AH9920		2MP	4mm Fix	<b>1/3" NEXT CHIP, 80m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 4PCS - WhitBalance:Auto - Shuter Speed :1/100</b>	1,830,000
SH-AH8456		2MP	4mm Fix	<b>1/3" NEXT CHIP, 80m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 4PCS - WhitBalance:Auto - Shuter Speed :1/100</b>	1,830,000

Model	Picture	Resolution	Lens	Specifiction	Price(RLS)
SH-AH4001		2MP	3.6mm Fix	<b>1/3" NEXT CHIP, 25m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 48PCS WhitBalance:Auto - Shuter Speed :1/100</b>	1,500,000
SH-AH2017		2MP	4mm Fix	<b>1/3" NEXT CHIP, 40m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 2PCS - WhitBalance:Auto - Shuter Speed :1/100</b>	1,650,000
SH-AH646		2MP	3.6mm Fix	<b>1/3" NEXT CHIP, 40m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 3PCS - WhitBalance:Auto - Shuter Speed :1/100</b>	1,600,000
SH-AH2013		2MP	4mm Fix	<b>1/3" NEXT CHIP, 40m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 3PCS - WhitBalance:Auto - Shuter Speed :1/100</b>	1,650,000
SH-AH639		2MP	2.8 to 12	<b>1/3" NEXT CHIP, 40m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 48PCS WhitBalance:Auto - Shuter Speed :1/100</b>	2,100,000

Model	Picture	Resolution	Lens	Specification	Price(RLS)
SH-AH706		2MP	2.8 to 12mm	<b>1/3" NEXT CHIP , 80m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 72PCS WhitBalance:Auto Shuter Speed :1/100</b>	2,250,000
SH-AH635		2MP	4mm Fix	<b>1/3" NEXT CHIP , 25m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 - 1PCS WhitBalance:Auto - Shuter Speed :1/100</b>	1,550,000
SH-AH639		2MP	2.8 to 12mm	<b>1/3" NEXT CHIP , 40m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°), IP66 48PCS WhitBalance:Auto - Shuter Speed :1/100</b>	1,830,000
SH-AH36X		2MP	5TO 99mm	<b>1/3" NEXT CHIP , ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.2,12V DC,High dynamic range, temperature Range (40°~60°),</b>	3,900,000