










HIKVISION



TurboHD







Turbo HD Camera

No.	Model	Appearance	Description	Price
WDR HD 1080p Camera				
1080P				
1	DS-2CE16D5T-IR		HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6mm Lens	call
2	DS-2CE56D5T-IRM		HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	call
3	DS-2CE56D5T-IT3		HD1080p,2MP CMOS Sensor, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6/8/12/16mm Lens	call
4	DS-2CE56D5T-VFIT3		HD1080p,2MP CMOS Sensor, 1 pcs EXIR LED, 50m IR, Outdoor EXIR Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Lens	call
6	DS-2CE56D5T-IR3Z		HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens	call
7	DS-2CE16D1T-IR		HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 2.8/3.6/6mm Lens	call
8	DS-2CE56D1T-IR		HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	call








Turbo HD Camera







No.	Model	Appearance	Description	Price
WDR HD 1080p Camera				
1080P				
9	DS-2CE16D1T-VFIR3		HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	3.860.000 IRR
10	DS-2CE56D1T-VFIR3		HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	3.800.000 IRR
11	DS-2CE56D1T-IR3Z		HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Motorized Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Motorized Vari-focal Lens	call
1080p Entry Level Series				
1080P				
12	DS-2CE16D0T-IR		HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	1.790.000 IRR
13	DS-2CE56D0T-IR		HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	1.670.000 IRR
14	DS-2CE56D0T-IRM		HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	1.790.000 IRR

Turbo HD Camera

No.	Model	Appearance	Description	Price
1080p Entry Level Series				
1080P				
15	DS-2CE16D0T-IT1		HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	2.120.000 IRR
16	DS-2CE16D0T-IT3		HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	2.290.000 IRR
17	DS-2CE16D0T-IT5		HD1080p,2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	2.630.000 IRR
18	DS-2CE56D0T-IT1		HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	2.120.000 IRR
19	DS-2CE56D0T-IT3		HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	2.290.000 IRR
720p Turbo HD Series				
720P				
20	DS-2CE16C5T-VFIR3		HD720p,1.3MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, Low Light, 0.001 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), Digital WDR, IP66, 2.8~12mm Lens	call
21	DS-2CE56C5T-VFIT3		HD720p,1.3MP CMOS Sensor, 1 pcs EXIR LED, 50m IR, Outdoor EXIR Vari-focal Eyeball, ICR, Low Light, 0.001 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), Digital WDR, IP66, 2.8~12mm Lens	call
22	DS-2CE16C2T-VFIR3		HD720p,1MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8~12mm Lens	3.030.000 IRR
23	DS-2CE56C2T-VFIR3		HD720p,1MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8~12mm Lens	3.030.000 IRR

Turbo HD Camera

No.	Model	Appearance	Description	Price
720p Turbo HD Series				
720P				
24	DS-2CE56C0T-IRMM		HD720p,1MP CMOS Sensor, 12 pcs IR LEDs, 20m IR, Indoor IR Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens	1.160.000 IRR
25	DS-2CE16C0T-IR		HD720p,1MP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens	1.400.000 IRR
26	DS-2CE56C0T-IR		HD720p,1MP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens	1.280.000 IRR
27	DS-2CE56C0T-IRM		HD720p,1MP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens	1.400.000 IRR
28	DS-2CE16C0T-IT1		HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8mm Lens	1.670.000 IRR
29	DS-2CE16C0T-IT3		HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8/12/16mm Lens	1.910.000 IRR
30	DS-2CE16C0T-IT5		HD720p,1MP CMOS Sensor, 2 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 3.6/6/8/12/16mm Lens	2.080.000 IRR
31	DS-2CE56C0T-IT1		HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8mm Lens	1.670.000 IRR
32	DS-2CE56C0T-IT3		HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8mm Lens	1.910.000 IRR
Tester				
33	DS-TT-X41		7" LCD Screen, Support HDTV camera, Up the Coax, 12 VDC output	14.570.000 IRR

No.	Model	Appearance	Description	Price
3MP EXIR Turbo HD Series				
3MP				
34	DS-2CE16F1T-IT		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2.700.000 IRR
35	DS-2CE56F1T-ITM		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2.700.000 IRR
36	DS-2CE16F1T-IT1		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	3.020.000 IRR
37	DS-2CE16F1T-IT3		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3.200.000 IRR
38	DS-2CE16F1T-IT5		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3.580.000 IRR
39	DS-2CE56F1T-IT1		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	2.890.000 IRR
40	DS-2CE56F1T-IT3		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3.140.000 IRR
41	DS-2CE16F7T-IT3Z		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens	7.590.000 IRR
42	DS-2CE56F7T-IT3Z		3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens	6.780.000 IRR

No.	Model	Appearance	Description	Price
1080p High Level Series				
1080P				
43	DS-2CE16D7T-IT		HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2.610.000 IRR
44	DS-2CE56D7T-ITM		HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2.610.000 IRR
45	DS-2CE16D7T-IT1		HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2.910.000 IRR
46	DS-2CE16D7T-IT3		HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	3.090.000 IRR
47	DS-2CE16D7T-IT5		HD1080p,2MP CMOS Sensor, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	3.460.000 IRR
48	DS-2CE56D7T-IT1		HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens	2.790.000 IRR
49	DS-2CE56D7T-IT3		HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens	3.030.000 IRR
50	DS-2CE16D7T-IT3Z		HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens	5.150.000 IRR
51	DS-2CE56D7T-IT3Z		HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens	5.030.000 IRR

HIKVISION®
First Choice for Security Professionals

نمایندگی رسمی شرکت پارس ارتباط

